

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for displaying first and second video stream information from a video player, the method comprising:
 - detecting the first video stream and associated first stream identification;
 - detecting the second video stream and associated second stream identification;
 - detecting a first display device, a first position corresponding to a first location in space of the first display device and associated first display device identification;
 - detecting a second display device, a second position corresponding to a second location in space of the second display device and associated second display device identification; and
 - directing the video streams to the display devices by using the identifications and positions.
2. (Original) The method of claim 1, wherein the step of directing the video streams includes automatic direction of the streams to the display devices.
3. (Original) The method of claim 1, wherein the step of directing the video streams includes manual direction of the streams to the display devices.
4. (Original) The method of claim 3, wherein the step of directing the video streams includes substeps of
 - obtaining a signal from a user input device; and
 - using the obtained signal to direct a video stream to a display device.

5. (Original) The method of claim 1, wherein a display device includes a display screen.

6. (Original) The method of claim 1, wherein a video stream is obtained from a DVD.

7. (Original) The method of claim 1, wherein a video stream is obtained from a broadcast.

8. (Original) The method of claim 7, wherein the broadcast includes information from a satellite transmission.

9. (Original) The method of claim 7, wherein the broadcast includes information from a cable transmission.

10. (Original) The method of claim 7, wherein the broadcast includes information from a radio-frequency transmission.

11. (Original) The method of claim 7, wherein the broadcast includes information from the Internet.

12. (Original) The method of claim 1, wherein auxiliary stream information is associated with a given video stream, the method further comprising
using the auxiliary stream information to identify a preferred position of the given video stream.

13. (Original) The method of claim 12, wherein auxiliary display device information is associated with a given display device, the method further comprising
using the auxiliary display device information to identify a position of the given display device with respect to a viewer's viewpoint.

14. (Original) The method of claim 13, further comprising
determining that the preferred position corresponds with the position of the given
display device; and
directing the given video stream to be displayed on the given display device.

15. (Currently Amended) An apparatus for displaying first and second video
stream information from video player, the method comprising:
a first detector for detecting the first video stream and associated first stream
identification;
a second detector for detecting the second video stream and associated second
stream identification;
a third detector for detecting a first display device, a first position corresponding
to a first location in space of the first display device and associated first display device
identification;
a fourth detector for detecting a second display device, a second position
corresponding to a second location in space of the second display device and associated second
display device identification; and
a director for directing the video streams to the display devices by using the
identifications and positions.

16. (Original) The apparatus of claim 15, wherein the director further comprises
a signal for automatic direction of the streams to the display devices.

17. (Original) The apparatus of claim 15, wherein a remote control operated by a
human user outputs a signal, the director further comprising
a signal input for receiving the signal and for use in directing the streams to the
display devices in response to the signal.

18. (Currently Amended) A stream director for directing two or more image streams from a single image stream source to two or more display devices, the method comprising

- a first input for a first video stream and associated first stream identification;
- a second input for a second video stream and associated second stream identification;
- a first output for a first display device and associated first display device identification;
- a second output for a second display device and associated second display device identification;
- means to determine positions in space of the first and second display devices; and
- means for directing the video streams to the display devices by using the identifications and positions.